

Flower King

Trigger Sprayer

花王枪

Discharge Rate: $0.27 \pm 0.05 \text{ ml/T}$
Specification: $\varnothing 24/410$, $\varnothing 28/410$

101 Series



SW101-A



SW101-B

Lock Option.



A

B

Closure Size Option.



$\varnothing 24/410$

$\varnothing 28/410$

PREMIER

Discharge Rate: $0.65-0.80 \text{ ml/T}$
Specification: $\varnothing 28/400$, $\varnothing 28/410$



SW102



SW103



SW104



SW105



SW106



SW107

All Plastic

Trigger Sprayer


全塑枪

Discharge Rate: 1.00-1.20ml/T

Specification: Ø28/400, Ø28/410, Ø28/415

- All plastic trigger sprayer, environment-friendly and recyclable.
- 全塑枪，可回收利用更环保

108 Series



Discharge Rate: 1.00-1.20ml/T

Specification: Ø28/400, Ø28/410, Ø28/415, Ø28/410 Rachet



SW108-A



SW108-B

Dual Color Shroud

Nozzle Option.



Spray/Stream



Spray/Stream



Foam

Trigger Options.



1



2

Nozzle Option.



Spray/Stream

Trigger Options.



1

Closure Size Option.



Ø28/400



Ø28/410



Ø28/415



Ø28/410 Rachet



SW108-C

Trigger Sprayer

喷枪

Discharge Rate: 1.30-1.50ml/T

Specification: Ø28/400, Ø28/410, Ø28/415

109 Series




Closure Size Option.



Ø28/400 Ø28/410



Ø28/415 Ø28/410 Ratchet



Discharge Rate: 1.30-1.50ml/T

Specification: Ø28/400, Ø28/410, Ø28/415



SW109-A



SW109-C



SW109-D

SW109-A/C/D Nozzle Option.



Spray/Spray

Spray/Stream

Foam



SW109-B

SW109-B Nozzle Option.



Spray/Spray



Foam



SW109-E

All Plastic

SW109-E Nozzle Option.



Spray/Spray

Simple Trigger Sprayer

简易枪

Discharge Rate: 0.60-0.90ml/T

Specification: Ø28/400, Ø28/410, Ø28/415

110 Series



Nozzle Option.



Spray/Stream

Foam

Trigger Option.



1

2

3

Closure Size Option.




Ø28/400

Ø28/410



Ø28/415



Discharge Rate: 0.60-0.90ml/T

Specification: Ø28/400, Ø28/410, Ø28/415



SW110-A



SW110-B



SW110-C



SW110-D



SW110-E



SW110-F

Trigger Sprayer

喷枪

Discharge Rate: 0.60-0.90ml/T
Specification: Ø28/400, Ø28/410, Ø28/415



SW109-G



SW109-H



SW109-J



SW109-K



SW109-L



SW109-M

Trigger Sprayer

威猛枪

Discharge Rate: 0.60-0.90ml/T
Specification: Ø28/400, Ø28/410, Ø28/415



111 Series



SW111



SW111

Nozzle Option.



Spray/Spray

Foam 1

Foam 2

Closure Size Option.



Ø28/400

Ø28/410

Ø28/415

Mini Trigger Sprayer
迷你枪

Discharge Rate: 0.25-0.30ml/T
Specification: Ø24/410, Ø28/410



SW112-A1



SW112-A2



SW112-B1



SW112-B2



SW112-C

Closure Size Option.



Ø20/410

Ø24/410

Ø28/410

Closure Type Option.



Smooth

Aluminum

Water Transfer

Discharge Rate: 0.25-0.30ml/T
Specification: Ø20/410, Ø24/410, Ø28/410



SW112-D

Discharge Rate: 0.45-0.55ml/T
Specification: Ø24/410, Ø28/410

Closure Size Option.



Ø24/410

Ø28/410

Closure Type Option.



Smooth

Aluminum

Water Transfer



SW113

Left-right Lock

Lotion Pump

乳液泵

Discharge Rate: 1.20-1.50ml/T

Specification: Ø24/410, Ø24/415, Ø28/400,
Ø28/410, Ø28/415

- Outer side spring or inner side spring both available.
- 内外置弹簧都可供

201 Series



Discharge Rate: 1.20-1.50ml/T

Specification: Ø24/410, Ø24/415, Ø28/400, Ø28/410, Ø28/415


Nozzle Option.



Closure Size Option.



Closure Type Option.



2 Series

Lotion Pump

乳液泵

Discharge Rate: 1.20-1.50ml/T
Specification: Ø24/410, Ø24/415, Ø28/400, Ø28/410, Ø28/415



SW201-A



SW201-B



SW201-C



SW201-D



SW201-E

Discharge Rate: 2.00ml/T
Specification: Ø24/410, Ø24/415, Ø28/400, Ø28/410, Ø28/415



SW202-A

Nozzle Option.



SW202-A SW202-B

Closure Size Option.



Ø24/410 Semi-ribbed Ø24/410 Smooth Ø28/410 Semi-ribbed 2 Ø28/410 Smooth

Closure Type Option.



Ribbed Smooth Alum. Water transfer



SW202-B

Screw

Lotion Pump

乳液泵

Discharge Rate: 1.80-2.00ml/T

Specification: Ø24/410, Ø24/415, Ø28/400,
Ø28/410, Ø28/415

- Inner side spring available.
- 内置弹簧可供

210 Series



Discharge Rate: 1.80-2.00ml/T

Specification: Ø24/410, Ø24/415, Ø28/400, Ø28/410, Ø28/415


Nozzle Option.



Closure Size Option.



Closure Type Option.



Lotion Pump

乳液泵

Discharge Rate: 1.80-2.00ml/T

Specification: Ø24/410, Ø24/415, Ø28/400, Ø28/410, Ø28/415



SW210-A



SW210-B



SW210-C



SW210-D



SW210-E



SW210-F



SW210-G



SW210-H

Screw

Lotion Pump

乳液泵


Discharge Rate: 2.50ml/T

Specification: Ø24/410, Ø28/410

- Outer side spring available.
- 外置弹簧可供

211

Series



Lotion Pump
乳液泵

Discharge Rate: 2.50ml/T
Specification: Ø24/410, Ø28/410

Outer
side



SW211-A



SW211-B



SW211-C



SW211-D

Nozzle Option.



SW204-A



SW204-B



SW204-C



SW204-D

Closure Size Option.



Ø24/410



Ø28/410

Discharge Rate: 4.00ml/T
Specification: Ø28/410, Ø32/410

Inner
side



SW212-A



SW212-B



SW212-C



SW212-D

Discharge Rate: 4.00ml/T
Specification: Ø28/410, Ø32/410

Outer
side



SW213-A



SW213-B

Lotion Pump
乳液泵

Discharge Rate: 2.00ml/T
Specification: Ø28/410, Ø32/410



SW214-A



3 hole spray

SW214-B



Rachet

SW214-C




Lotion

SW214-D

215 Series

Lotion Pump
乳液泵

Discharge Rate: 4.00ml/T
Specification: Ø28/410, Ø32/410



SW215-A



SW215-B

Screw Sauce

Lotion Pump

乳液泵

Discharge Rate: 5.00-30.0ml/T

Specification: Ø38/400, Ø38/410

- Outer side spring available.
- 外置彈簧可供

217 Series

Closure Size Option.



Ø38/400

Ø38/410



Discharge Rate: 5.00-30.0ml/T
Specification: Ø38/400, Ø38/410



SW217-A

Treatment

Pump

粉泵

Discharge Rate: 0.90-1.00ml/T
Specification: Ø24/410



220 Series

Actuator Option.



Closure Option.



Treatment

Pump

粉泵

Discharge Rate: 0.45-0.50ml/T
Specification: Ø20/410, Ø24/410, Ø28/410

223 Series

Cover Option.



Actuator Option.



Closure Size Option.



Closure Option.



Lotion Pump

乳液泵

Discharge Rate: 0.45-0.50ml/T

Specification: Ø20/410, Ø24/410, Ø28/410



SW223-A



SW223-B



SW223-C



SW223-D



SW223-E

Discharge Rate: 0.60ml/T

Specification: Ø24/410



SW224

224 Series
Treatment Pump

Discharge Rate: 0.25ml/T

Specification: Ø20/410



SW225-A



SW225-B

225 Series
Treatment Pump



Double Wall Closure

Lotion Pump

乳液泵

Discharge Rate: 0.80ml/T

Specification: Ø24/410



SW221

221 Series

Double Wall Closure

Discharge Rate: 0.90-1.00ml/T

Specification: Ø20/410, Ø24/410, Ø28/400, Ø28/410



SW222-A

222 Series

Clip Pump

Actuator Option.



SW222-A



SW222-B

Closure Size Option.



Ø20/410



Ø24/410



Ø28/410

Oil Pump

油泵

Discharge Rate: 0.90-1.00ml/T

Specification: Ø20/410, Ø24/410, Ø28/410

401 Series



SW401-B

Actuator Option.



SW401-A



SW401-B



SW401-C

Closure Size Option.



Ø20/410



Ø24/410



Ø28/410

Fine

Mist Sprayer

小喷雾器

Discharge Rate: 0.11-0.13ml/T

Specification: Ø14~28

301 Series



3 Series


Discharge Rate: 0.11-0.13ml/T

Specification: Ø14~28

Closure Size Option.



Closure Tyer Option.



Mist Sprayer

小喷雾器

Discharge Rate: 0.11-0.13ml/T
Specification: Ø14~28



SW301-A

Ø12/410



SW301-B

Ø14/410



SW301-C

Ø18/410



SW301-D

Ø18/415



SW301-E

Ø20/410



SW301-F

Ø20/415



SW301-G

Ø22/415



SW301-H

Ø24/400



SW301-J

□24/410



SW301-K

Ø24/415



SW301-L

Ø28/410

Oil Sprayer

油喷

Discharge Rate: 0.18 ± 0.04 ml/T
Specification: Ø18/410, Ø20/410, Ø24/410

303 Series



Closure Size Option.



Ø18/410

Ø20/410

Ø24/410

Closure Type Option.



Ribbed

Smooth

Alum.

Mist Sprayer

小喷雾器

Discharge Rate: 0.12-0.14ml/T

Specification: Ø18/410, Ø20/410, Ø24/410



310 Series

Oral Sprayer

Nozzle length Options



Closure Option.



Discharge Rate: 0.12-0.14ml/T

Specification: Ø18/410, Ø20/410, Ø24/410, Ø28/410



312 Series

Nasal Sprayer

Closure Size Option.



Closure Type Option.



Discharge Rate: 0.12-0.14ml/T

Specification: Ø18/410, Ø20/410, Ø24/410, Ø28/410



311 Series

Oral Sprayer

Closure Size Option.



Closure Type Option.



Discharge Rate: 0.12-0.14ml/T

Specification: Ø33/400



313 Series

Nasal Sprayer

Nail Cleaning

Pump

洗指甲油泵

Discharge Rate: 0.45ml/T
Specification: Ø24/410, Ø28/410, Ø32/410



Discharge Rate: 0.45ml/T
Specification: Ø24/410, Ø28/410, Ø32/410



SW501-A

Ø24/410



SW501-B

Ø24/410, Ø28/410, Ø32/410



SW502-A

Ø24/410, Ø28/410, Ø32/410



SW502-B

5 Series

Foam

Pump

泡沫泵

Discharge Rate: 0.20-0.30ml/T
Specification: Ø28/410

Discharge Rate: 0.60-0.80ml/T
Specification: Ø40/410, Ø43/410



Discharge Rate: 0.20-0.30ml/T, 0.60-0.80ml/T
Specification: Ø28/410, Ø40/410, Ø43/410



SW601-A

Ø28/410
0.20-0.30ml/T



SW601-B

Ø40/410, Ø43/410
0.60-0.80ml/T



SW601-C

Ø40/410, Ø43/410
0.60-0.80ml/T



SW601-D

Ø40/410, Ø43/410
0.60-0.80ml/T



SW602-A

Ø40/410, Ø43/410
0.60-0.80ml/T



SW602-B

Ø40/410, Ø43/410
0.60-0.80ml/T

6 Series

Plastic Cap
塑料盖



SW701-A

Ø18/410, Ø20/410, Ø24/410
Ø24/415, Ø28/410, Ø28/415



SW701-B

Ø20/410, Ø24/410, Ø28/410



SW701-C

Ø20/410, Ø24/410, Ø28/410



SW703-A

Ø24/410, Ø28/410



SW703-B

Ø24/410, Ø28/410



SW703-C

Ø24/410, Ø28/410



SW701-D

Ø20/410, Ø24/410, Ø28/410



SW701-E

Ø20/410, Ø24/410, Ø28/410



SW701-F

Ø20/410, Ø24/410, Ø28/410



SW703-D

Ø24/410, Ø28/410



SW703-E

Ø20/410, Ø24/410, Ø28/410



SW703-F

Ø20/410, Ø24/410, Ø28/410



SW701-G

Ø24/410, Ø24/415
Ø28/410, Ø28/415



SW701-H

Ø24/410, Ø24/415
Ø28/410, Ø28/415



SW701-J

Ø38/400



SW703-G

Ø20/410, Ø24/410, Ø28/410



SW701-K

Ø24/410, Ø28/410



SW702-A

Ø18/410, Ø20/410, Ø24/410
Ø24/415, Ø28/410, Ø28/415



SW702-B

Ø18/410, Ø20/410, Ø24/410
Ø24/415, Ø28/410, Ø28/415



SW704-A

Ø18/410, Ø20/410, Ø24/410
Ø24/415, Ø28/410, Ø28/415



SW704-B

Ø20/410, Ø24/410



SW704-C

Ø18/410, Ø20/410, Ø24/410
Ø24/415, Ø28/410, Ø28/415

Continuous

sprayer Bottle

持续喷雾瓶

Discharge Rate: 1.00-1.20ml/T



8 Series

Discharge Rate: 1.00-1.20ml/T

801 Series

Water Spray



200ml



300ml



500ml

802 Series

Oil Spray



200ml



200ml glass



300ml

Airless

Bottle
真空瓶



9 Series



SW901

Item No.	Capacity	Diameter(Ø)	Height	Sytem	Main Material
SW901-8	8ml	25mm	65mm	Airless Pump Snap On	PP
SW901-10	10ml		77mm		
SW901-15	15ml		90mm		
SW901-20	20ml		102mm		



SW902

Item No.	Capacity	Diameter(Ø)	Height	Sytem	Main Material
SW902-15	15ml	35mm	85mm	Airless Pump Snap On	PP
SW902-30	30ml		104mm		
SW902-50	50ml		129.5mm		